

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	3	345/163.ccls. and (orientation adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 18:58
L6	13	345/163.ccls. and (orientation near4 switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 18:58
L7	38	("5063289").URPN.	USPAT	OR	OFF	2006/04/28 19:06
S2	1293	345/163.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 21:48
S3	2	S2 and geomagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 21:48
S4	2	("5504502" "6509888").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 21:50
S5	31	("5504502").URPN.	USPAT	OR	OFF	2006/04/21 21:52
S6	5	("5432530" "5504502" "5714980" "5772452" "5906504").PN. OR ("6707446").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 21:54
S9	3	"6453173".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 15:56
S10	103058	computer and mouse and (mangetic with orientat\$3 or rotat\$3 or turn\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 11:02

EAST Search History

S11	103058	computer and mouse and (mangetic near4 orientat\$3 or rotat\$3 or turn\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 11:02
S14	214	computer and mouse and ((mangetic or compass)with (orientat\$3 or rotat\$3 or turn\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 11:03
S15	214	computer and mouse and ((mangetic or compass) with (orientat\$3 or rotat\$3 or turn\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 11:03
S17	13	("5303337" "5313201" "5359703" "5414801" "5588097" "5608850" "5734805" "5774111" "5835692" "5861889" "5874956" "6008814" "6014142").PN. OR ("6144381"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 11:34
S18	2	STEINHAUSER.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 11:35
S19	1212	345/163.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 11:35
S20	72	S19 and (magnet\$2 and orient\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 11:41
S34	325	345/184.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:30
S36	45660	S10 and (magnet\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:32
S37	47	S34 and (magnet or compass)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:41
S38	8103	345/156-169,184.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:42
S39	74	S38 and (magnet\$3 near4 orientation)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:56

EAST Search History

S40	17	S19 and ((magnet\$3 or compass) near4 orientation)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/25 13:57
S41	1294	345/163.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 15:49
S42	13	S41 and (flexible near5 cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 16:38
S43	20	S41 and (ninety-degree or (ninety adj degree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:32
S44	14	S41 and (squeez\$3 near5 switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:50
S48	3	S41 and (orientation adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 16:48
S49	24	S41 and ((orientation or compass) with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 16:49
S51	4	S41 and ((magnetic or compass) near5 switch)	USPAT	OR	OFF	2006/04/25 17:26
S52	147	computer and mouse and ((magnetic or compass) near5 switch)	USPAT	OR	OFF	2006/04/25 19:30
S54	7	computer and mouse and ((compass\$3) near5 (on or off))	USPAT	OR	OFF	2006/04/25 19:36
S55	7	computer and mouse and (magnetic adj orientation)	USPAT	OR	OFF	2006/04/25 19:36

EAST Search History

S58	572	computer and mouse and compas\$4	USPAT	OR	OFF	2006/04/25 20:02
S59	25463	computer and mouse and orient\$5	USPAT	OR	OFF	2006/04/25 19:59
S60	25473	computer and mouse and magnetic	USPAT	OR	OFF	2006/04/25 19:59
S61	198	S58 and S59 and S60	USPAT	OR	OFF	2006/04/25 21:15
S62	1090	computer and mouse and compas\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/25 20:02
S63	34353	computer and mouse and orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/25 20:02
S64	57608	computer and mouse and orient\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/25 20:02
S67	937	computer and mouse and (magnetic with orient\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/25 20:04
S68	107	S62 and S63 and S64 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/25 20:04
S72	5041	345/156-169.ccls.	USPAT	OR	OFF	2006/04/25 21:15
S73	133	S72 and (third with axis) and orientation	USPAT	OR	OFF	2006/04/25 21:16
S74	189	S72 and (z with axis) and orientation	USPAT	OR	OFF	2006/04/25 21:16
S75	257	S73 or S74	USPAT	OR	OFF	2006/04/25 21:17
S76	124	S75 and (magnetic or compass)	USPAT	OR	OFF	2006/04/26 10:11
S77	802	345/163.ccls.	USPAT	OR	OFF	2006/04/26 10:44
S78	1294	345/163.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 10:11

EAST Search History

S79	4	S78 and (orientation adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:43
S80	0	S79 and ((compas\$4 or magnet\$2) adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:44
S81	1	S79 and ((compas\$4 or magnet\$2) near4 switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:45
S82	2304	345/163-168.ccls.	USPAT	OR	OFF	2006/04/26 10:44
S83	22	S82 and ((compas\$4 or magnet\$2) near4 switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:55
S85	16	S82 and compas\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:56
S87	82	S82 and (ball with bearing)	USPAT	OR	OFF	2006/04/26 12:20
S88	82	S82 and (ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 11:29
S89	34	S77 and (ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 11:29
S91	25	S78 and (retain\$3 with ring)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 12:20
S92	10	345/184.ccls. and (ball with bearing)	USPAT	OR	OFF	2006/04/26 13:10

EAST Search History

S93	4	345/184.ccls. and (retain\$3 with ring)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 12:20
S94	5	US-4887230-\$.DID. OR US-0162781-\$.DID. OR US-5936612-\$.DID. OR US-6130664-\$.DID. OR US-6342878-\$.DID.	USPAT	OR	OFF	2006/04/26 13:11
S97	8473	345/163-184.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 13:44
S98	159	S97 and bearing and friction and ball	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 13:55
S10 0	7	("4933670" "5489922" "5541621" "5543821" "5561445" "5565891" "D431037").PN. OR ("6525714").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 14:09
S10 5	11	S78 and (board near4 battery)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/26 16:06

EAST Search History

S11 9	13	S117 and ((flexible or elastic or supple or resilient) near (cover or top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 21:52
S12 0	3	compas\$3 adj mouse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 21:53
S12 1	3	compass adj mouse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/26 22:17
S12 6	1	Woolman near2 Andrew	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/27 09:24
S12 7	205	345/163.ccls. and ergonomic	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/27 09:27
S12 8	53	S127 and cover	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/27 09:24
S13, 3	4	345/163.ccls. and (cover with (elastic or resilient or flexible or gel) with (key or button))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/27 09:27
S13 4	197	mouse with (flexible or deform\$4 or resilient or rubber or elastic) with (cover or top or shell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 11:06
S13 5	1698	mouse near5 (rotat\$3 or orientation) and computer	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:31
S13 6	15	S135 and (magnetic and compass\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:31
S13 7	15	S135 and (magnetic and compas\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:33
S14 0	43906	d14/	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:34

EAST Search History

S14 1	43906	d14	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:34
S14 2	1425	S141 and mouse	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 11:34
S14 3	20	S142 and ((elastic or flexible or resilient or rubber or deform\$4) near4 (top or cover or shell))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/28 13:16
S14 4	6	((("5912660") or ("6411281") or ("6040539"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 21:18

EAST Search History

S14 7	5	S145 and rigid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:53
S14 8	1294	345/163.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:53
S14 9	146	S148 and rigid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:54
S15 0	2	S148 and rigid adj (shell or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:54
S15 1	1	S148 and semi-rigid adj (shell or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:58
S15 2	11	S148 and semi-rigid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 13:54